



# sure'n safe® Chemical Dosing System



**Sure chemical delivery, safe operation.  
Remote operation capability.**



#### **CAPACITY**

0.2 - 32 L/hr

#### **PRESSURE**

4 - 16 bar

#### **CONTROL PANEL**

sure'n safe® CSA

#### **ENCLOSURE**

FRP & Acrylic Window

#### **PIPING & FITTINGS**

3/8" (10 mm) PVC

#### **TANK**

60 - 200 L

#### **CONTAINMENT SCALE**

4-20 mA output  
(chemical usage)

#### **DEGASSING VALVE**

#### **TANK LEVEL SWITCH**

Low Level

#### **LEAK DETECTION**

Containment Leak  
Detector

#### **ALUMINUM FRAME**

With or Without Wheels



## sure'n safe® CONTROL PANEL

Duty/standby capability, with following features:

- Hand/Off/Auto Selection
- Duty Pump Selection
- Alternating Duty Pump, based on/ off command or based on timer
- Pump Alarms
- Tank Low Level Alarm
- Leak Detection Alarm
- 4-20 mA output proportional with chemical usage



## ALTERNATIVE PUMPS

- Peristaltic
- Plunger
- Piston
- API pumps



## SEKO DIAPHRAGM PUMPS

- PVDF wetted parts, ceramic balls, PTFE diaphragm (5 years warranty).
- IP 55 enclosure. cUL approved pump.



## THIS SYSTEM CAN BE SUPPLIED ON DIFFERENT OPTIONS, AS FOLLOW:

### OPTION 1

Chemical system with junction box installed on HDPE board (wall installation)

### OPTION 2

Chemical system with **sure'n safe®** control panel installed on HDPE board (wall installation)

### OPTION 3

Chemical system with junction box in a FRP enclosure with E-Stop push button (wall installation)

### OPTION 4

Chemical system with **sure'n safe®** control panel in a splash proof FRP enclosure with E-Stop push button (wall installation)



## SCALETRON SCALE & CONTAINMENT

- Analog Output: 4-20 mA
- Relay Level Indication: 2 (optional)
- Accuracy: 0.1%
- Power Requirements: 0.3A @ 120 vac
- Controller Enclosure: NEMA-4X
- Platform Size: 24" x 26" cUL (610 x 660)
- Containment Capacity: 290 L (77 usg)
- Rugged steel construction protected by corrosion resistant steel, with polyethylene containment basin
- Load cells are mounted outside of spill containment basin to eliminate damages due to chemical spill

### OPTION 5

API pumping system

### ADDER 1

Two PVDF flow monitors installed on pump discharge

### ADDER 2

200 L tank, containment, level and containment switches

### ADDER 3

Tank scale with 4-20 mA output & alarms

### ADDER 4

Self standing aluminum frame